



DIMENSIONAL DATA SHEET

A•LOK® X-CEL, PREMIUM & STM CONNECTOR / EQUIPMENT

CROSS SECTION	A•LOK® CONNECTOR / MANDREL NUMBER	NOMINAL PIPE OD +/- 0.25"	A•LOK® CONNECTOR / MANDREL I.D.	Mandrels		Field Sleeves		NOTES
				Round	Flat	Round	Flat	
xx92	*140	4.25"	3.25"	X	X	X	X	
	*150	4.50"	3.50"	X	X	X	X	
	*160	4.75"	3.75"	X	X	X	X	
	*165	5.00"	4.00"	X	X	X	X	
	*170	5.25"	4.25"	X	X	X	X	
	185	5.75"	4.75"	X	X			
	*200	6.25"	5.25"	X	X	X	X	
	*210	6.50"	5.50"	X	X	X	X	
	*225	6.875"	5.875"	X	X	X	X	
	*235	7.25"	6.25"	X	X	X	X	
	240	7.50"	6.50"	X	X	X	X	
	255	7.82"	6.82"	X	X	X	X	
	xx93	*285	8.50"	7.00"	X	X	X	X
*300		9.00"	7.50"	X	X	X	X	
*310		9.25"	7.75"	X	X	X	X	
*320		9.50"	8.00"	X	X			
325		9.75"	8.25"	X	X			
330		10.00"	8.50"	X	X			
340		10.25"	8.75"	X	X	X	X	
*350		10.50"	9.00"	X	X	X	X	
355		10.75"	9.25"	X	X	X	X	
*370		11.25"	9.75"	X	X	X	X	
380		11.50"	10.00"	X	X	X	X	
*385		11.75"	10.25"	X	X	X	X	
390		12.00"	10.50"	X	X	X	X	
400		12.25"	10.75"	X	X	X	X	
*410		12.50"	11.00"	X	X	X	X	
415		12.75"	11.25"	X	X	X	X	
*425		13.00"	11.50"	X	X	X	X	
440		13.00"	11.50"	X	X	X	X	
455		14.00"	12.50"	X	X			
470		14.25"	12.75"	X	X	X	X	
475		14.375"	12.825"	X	X			
480		14.75"	13.25"	X	X	X	X	
490		15.25"	13.75"	X	X	X	X	
500		15.50"	14.00"	X	X			
520		16.00"	14.50"	X	X	X	X	
525		16.25"	14.75"	X	X	X	X	
535		16.50"	15.00"	X	X			
540		16.625"	15.125"	X	X	X	X	
560	17.00"	15.50"	X	X	X	X		
570	17.50"	16.00"	X	X	X	X		
580	18.00"	16.50"	X	X				

IMPORTANT – THE TYPE AND OUTSIDE DIAMETER (OD) OF THE PIPE WILL BE REQUIRED WHEN PLACING AN ORDER FOR CONNECTORS AND EQUIPMENT TO ENSURE PROPER SELECTION. ALL DIMENSIONS SUBJECT TO MANUFACTURERS TOLERANCE.

MANDREL AND FIELD SLEEVE LISTED WITH "X" ARE CURRENTLY AVAILABLE FOR STANDARD STRUCTURE CONFIGURATIONS. ITEMS WITH BLANKS WILL REQUIRE REVIEW BEFORE ORDERING.

WEB: WWW.A-LOK.COM • E-MAIL: INFO@A-LOK.COM • PHONE 1-800-822-2565

December, 2018 – SUPERCEDES ALL PREVIOUS INFORMATION AND IS SUBJECT TO CHANGE WITHOUT NOTICE.



DIMENSIONAL DATA SHEET

A•LOK® X-CEL, PREMIUM & STM CONNECTOR / EQUIPMENT

CROSS SECTION	A•LOK® CONNECTOR / MANDREL NUMBER	NOMINAL PIPE OD +/- 0.25"	A•LOK® CONNECTOR / MANDREL I.D.	Mandrels		Field Sleeves		NOTES
				Round	Flat	Round	Flat	
xx93	585	18.25"	16.75"	X	X			
	600	18.50"	17.00"	X	X			
	610	18.75"	17.25"	X	X	X	X	
	620	19.125"	17.625"	X		X		
	630	19.50"	18.00"	X	X	X	X	
	635	19.75"	18.25"	X	X		X	
	640	20.00"	18.50"	X	X	X		
	650	20.25"	18.75"	X	X	X		
	660	20.50"	19.00"	X	X			
	675	21.00"	19.50"	X	X	X		
	690	21.375"	19.875"	X	X	X	X	
	700	21.437"	19.937"	X		X	X	
	710	22.00"	20.50"	X		X	X	
	720	22.50"	21.00"	X	X	X		
	740	23.00"	21.50"	X	X	X	X	
	750	23.50"	22.00"	X	X	X		
	770	24.00"	22.50"	X	X	X	X	
	780	24.50"	23.00"	X	X	X	X	
	800	24.75"	23.25"	X	X	X	X	
	805	25.00"	23.50"	X	X	X	X	
	815	25.50"	24.00"	X	X			
	820	25.75"	24.25"	X	X	X	X	
	840	26.00"	24.50"	X		X		
	850	26.50"	25.00"	X	X	X	X	
	855	26.75"	25.25"	X	X	X	X	
	860	27.00"	25.50"	X		X		
	870	27.50"	26.00"	X	X	X	X	
	890	28.00"	26.50"	X	X	X	X	
	900	28.25"	26.75"	X		X		
	915	28.50"	27.00"	X	X	X	X	
	920	28.75"	27.25"	X				
	930	29.00"	27.50"	X		X	X	
	xx94	970	30.00"	28.00"	X	X	X	X
980		30.50"	28.50"	X		X	X	
1000		30.75"	28.75"	X		X		
1020		31.25"	29.25"	X	X		X	
1030		31.50"	29.50"	X	X	X	X	
1035		31.625"	29.625"	X	X	X		
1040		32.00"	30.00"	X	X	X	X	
1050		32.375"	30.375"	X	X	X	X	
	1070	32.875"	30.875"	X	X	X	X	
	1090	33.50"	31.50"	X	X	X	X	

IMPORTANT – THE TYPE AND OUTSIDE DIAMETER (OD) OF THE PIPE WILL BE REQUIRED WHEN PLACING AN ORDER FOR CONNECTORS AND EQUIPMENT TO ENSURE PROPER SELECTION. ALL DIMENSIONS SUBJECT TO MANUFACTURERS TOLERANCE.

MANDREL AND FIELD SLEEVE LISTED WITH "X" ARE CURRENTLY AVAILABLE FOR STANDARD STRUCTURE CONFIGURATIONS. ITEMS WITH BLANKS WILL REQUIRE REVIEW BEFORE ORDERING.

WEB: WWW.A-LOK.COM • E-MAIL: INFO@A-LOK.COM • PHONE 1-800-822-2565

December, 2018 – SUPERCEDES ALL PREVIOUS INFORMATION AND IS SUBJECT TO CHANGE WITHOUT NOTICE.



DIMENSIONAL DATA SHEET

A•LOK® X-CEL, PREMIUM & STM CONNECTOR / EQUIPMENT

CROSS SECTION	A•LOK® CONNECTOR / MANDREL NUMBER	NOMINAL PIPE OD +/- 0.25"	A•LOK® CONNECTOR / MANDREL I.D.	Mandrels		Field Sleeves		NOTES
				Round	Flat	Round	Flat	
xx94	1100	33.80"	31.75"	X	X	X		
	1110	34.25"	32.25"	X	X			
	1130	35.00"	33.00"	X	X			
	1140	35.25"	33.25"	X	X	X		
	1160	35.75"	33.75"	X	X	X	X	
	1180	36.25"	34.25"	X	X	X	X	
	1200	37.00"	35.00"	X	X	X	X	
	1210	37.50"	35.50"	X	X	X	X	
	1220	37.70"	35.70"	X	X	X	X	
	1230	38.00"	36.00"	X	X			
	1235	38.375"	36.375"	X	X	X		
	1240	38.50"	36.50"	X	X	X	X	
	1250	38.75"	36.75"	X			X	
	1260	39.00"	37.00"	X		X		
	1280	39.50"	37.50"	X	X	X		
	1310	40.50"	38.50"	X	X	X	X	
	1320	40.75"	38.75"	X				
	1330	41.125"	39.125"	X	X	X		
	1350	42.00"	40.00"	X	X	X	X	
	1360	42.25"	40.25"	X	X	X	X	
	1370	42.50"	40.50"	X	X	X	X	
	1390	43.25"	41.25"					
	1420	44.00"	42.00"	X	X	X	X	
	1430	44.50"	42.50"	X	X	X	X	
	1470	45.50"	43.50"	X	X	X	X	
	1475	45.75"	43.75"	X		X		
	1480	46.00"	44.00"	X		X		
	1500	46.625"	44.625"	X				
	1510	46.90"	44.90"	X		X		
	1530	47.50"	45.50"	X				
	1540	48.00"	46.00"	X	X	X	X	
	1560	48.375"	46.375"	X	X	X		
	1570	49.00"	47.00"	X		X		
	1600	49.75"	47.75"					
1610	50.00"	48.00"						
1625	50.50"	48.50"	X	X	X	X		
1630	50.75"	48.75"	X	X	X	X		
1640	51.00"	49.00"	X	X	X	X		
1650	51.50"	49.50"	X					
1670	52.00"	50.00"	X					
1690	52.50"	50.50"	X	X	X	X		
1700	52.75"	50.75"	X		X	X		

IMPORTANT – THE TYPE AND OUTSIDE DIAMETER (OD) OF THE PIPE WILL BE REQUIRED WHEN PLACING AN ORDER FOR CONNECTORS AND EQUIPMENT TO ENSURE PROPER SELECTION. ALL DIMENSIONS SUBJECT TO MANUFACTURERS TOLERANCE.

MANDREL AND FIELD SLEEVE LISTED WITH "X" ARE CURRENTLY AVAILABLE FOR STANDARD STRUCTURE CONFIGURATIONS. ITEMS WITH BLANKS WILL REQUIRE REVIEW BEFORE ORDERING.

WEB: WWW.A-LOK.COM • E-MAIL: INFO@A-LOK.COM • PHONE 1-800-822-2565

December, 2018 – SUPERCEDES ALL PREVIOUS INFORMATION AND IS SUBJECT TO CHANGE WITHOUT NOTICE.



DIMENSIONAL DATA SHEET

A•LOK® X-CEL, PREMIUM & STM CONNECTOR / EQUIPMENT

CROSS SECTION	A•LOK® CONNECTOR / MANDREL NUMBER	NOMINAL PIPE OD +/- 0.25"	A•LOK® CONNECTOR / MANDREL I.D.	Mandrels		Field Sleeves		NOTES
				Round	Flat	Round	Flat	
xx94	1705	53.00"	51.00"	X		X		
	1707	53.60"	51.60"	X		X		
	1710	54.00"	52.00"	X	X	X	X	
	1745	54.50"	52.50"	X	X		X	
	1790	56.00"	54.00"	X				
	1820	56.875"	54.875"	X	X	X		
	1830	57.00"	55.00"	X	X	X	X	
	1840	57.50"	55.50"	X		X		
	1850	57.75"	55.75"					
	1860	58.00"	56.00"	X	X	X	X	
	1870	58.375"	56.375"	X				
xx95	1910	59.50"	57.50"	X	X	X	X	
	1920	60.00"	57.50"	X		X		
	1930	61.50"	59.00"	X		X		
	1940	62.00"	59.50"	X		X		
	1970	63.00"	60.50"	X	X	X	X	
	2040	65.00"	62.50"	X	X	X	X	
	2050	65.50"	63.00"	X			X	
	2060	65.75"	63.25"				X	
	2070	66.00"	63.50"	X				
	2080	66.50"	64.00"	X	X	X	X	
	2140	67.00"	64.50"	X				
	2160	67.625"	65.125"	X	X		X	
	2170	68.00"	65.50"					
	2210	69.375"	66.875"	X	X	X	X	
	2300	72.00"	69.50"	X	X	X	X	
	2310	72.375"	69.875"	X				
	2360	73.50"	71.00"	X	X	X	X	
	2430	75.50"	73.00"	X	X	X	X	
	2520	79.00"	76.50"	X				
	2560	80.50"	78.00"	X			X	
	2600	81.50"	79.00"					
	2740	86.00"	83.50"				X	
	2750	86.25"	83.75"				X	
2800	87.50"	85.00"	X	X		X		
2820	88.75"	86.25"						
2840	89.25"	86.75"						

IMPORTANT – THE TYPE AND OUTSIDE DIAMETER (OD) OF THE PIPE WILL BE REQUIRED WHEN PLACING AN ORDER FOR CONNECTORS AND EQUIPMENT TO ENSURE PROPER SELECTION. ALL DIMENSIONS SUBJECT TO MANUFACTURERS TOLERANCE.

MANDREL AND FIELD SLEEVE LISTED WITH "X" ARE CURRENTLY AVAILABLE FOR STANDARD STRUCTURE CONFIGURATIONS. ITEMS WITH BLANKS WILL REQUIRE REVIEW BEFORE ORDERING.

WEB: WWW.A-LOK.COM • E-MAIL: INFO@A-LOK.COM • PHONE 1-800-822-2565

December, 2018 – SUPERCEDES ALL PREVIOUS INFORMATION AND IS SUBJECT TO CHANGE WITHOUT NOTICE.